



FlushSash

Including new *Slim Sightline French Window*.



FlushSash

Contents

Pg.3	Introduction	Pg. 8	Thermal performance
Pg. 5	Market info	Pg. 9	Variations colours
Pg. 6-7	FlushSash in numbers	Pg. 10-11	Wall charts



Introduction



The VEKA and Halo FlushSash have been a popular choice with Fabricators for many years, and as the market increase of 88% shows, is increasingly popular with homeowners. To ensure our FlushSash remains at the forefront of the market we are introducing the FlushSash with Slim Sightlines.

The sleek FlushSash with Slim Sightlines offers the next level to homeowners with virtually no sightlines. Our patent pending concealed mullion ensures a slick looking window with all the modern benefits of PVC-u. Slim sightlines are usually found on timber windows making the FlushSash an ideal alternative or replacement to tired looking timber windows.



20% reduction in sightline dimensions increasing the glass area creating more light.

As well as fully welded options FlushSash can be mechanically jointed, ensuring they are virtually indistinguishable from timber windows to homeowners, especially when one of our industry leading Variations woodgrains are chosen.

So you can now offer a modern, traditional window with all the benefits of thermally efficient low maintenance PVC-u.



88%
Market Increase

FlushSash

It's all in *the detail*.



Slim Sightline



Standard Sightline



Market info.




Since sales of Flush casement windows have been identified in their own right, the volume increase of their share of the market has been dramatic.

The 2017 Palmer Market Research report, Window, Door and Conservatory Markets in Housing in Great Britain, recorded an 88% increase in installations to a total of 335,000 frames annually, at the same time doubling the market share of Flush casements to 5%.

All indications based on historic patterns and current sales suggests that rapid rate of growth will continue. Within a market that is flat overall, Flush casements stand out as an attractive segment to service.

Chart

Configurations (Styles) in the window market in housing in Great Britain 2016



Credit: Palmer Market Research 2017

5%

Flush Casement
Market Share

FlushSash

FlushSash boasts impressive figures in terms of thermal performance, security, versatility and environmental credentials.

Here are its vital statistics...

U Value of
1.0

Achieves
PAS 24*

WER Rating
of **A⁽⁺¹⁷⁾₊**



***PAS 24 and Document Q are achieved with the standard FlushSash, NOT with the Slim Sightline Mullion version.**

FlushSash

29
colour options
UP TO 14 FROM STOCK

Triple glazed
ready upto
36mm

Meets the
requirements of
document

Q*





Thermal performance



Please find detailed calculations for FlushSash U-Values and Energy Ratings in the table below.

FlushSash can return an A rated casement window using an intermediate outer frame, and at its top specification can achieve an A+ (+17) rating.

The VEKA Group energy rating calculator

Ask a member of our Technical Team about

The VEKA Group's window and door energy performance calculator – BSI notified and BFRC certified.

The calculator is unique to each fabricator and their products, and allows for the generation of accurate SELs/DSELs in accordance with the BFRC and notified U-Values for CE Marking in accordance with EN 14351.



Product Spec.	Reinforcement	System 10 (70)		Rustique		Matrix FS	
FlushSash Double Glazed Best Rating	Domestic	A(9)	1.4	A+(10)	1.4	A+(10)	1.4
	Insert & Steel	A(9)	1.4	A+(10)	1.4	A+(10)	1.4
	Full Steel	A(6)	1.4	A(7)	1.4	A(6)	1.4
FlushSash Double Glazed Best U-value	Domestic	B(-8)	1.3	B(-7)	1.3	B(-7)	1.3
	Insert & Steel	B(-8)	1.3	B(-8)	1.3	B(-7)	1.3
	Full Steel	C(-11)	1.3	C(-11)	1.3	C(-11)	1.3
FlushSash Triple Glazed Best Rating	Domestic	A+(15)	1.0	A+(17)	1.0	A+(17)	1.0
	Insert & Steel	A+(15)	1.0	A+(16)	1.0	A+(16)	1.1
	Full Steel	A+(12)	1.1	A+(13)	1.1	A+(12)	1.1
FlushSash Triple Glazed Best U-value	Domestic	B(-4)	0.98	B(-3)	0.97	B(-5)	0.99
	Insert & Steel	B(-4)	0.99	B(-4)	0.98	B(-5)	0.99
	Full Steel	B(-7)	1.0	B(-6)	1.0	B(-8)	1.0



FlushSash

Colours



Colour	Sides/Base		Ref	RAL Colour	FlushSash System 10	FlushSash Rustique	FlushSash Matrix FS
Rosewood	2	Brown	Rswd	8015			
Rosewood	1	White	Rswd	8015			
Golden Oak/Chry	2	Caramel	GOak	8001			
Golden Oak/Chry	1	White	GOak	8001			
Irish Oak	1	White	IOak	1011			
Cream	1	White	Crem	9001			
Cream	2	White	Crem	9001			
Beck Brown	1	White	Blick	8022			
White	2	White	White	9010			
Anthracite Grey	1	White	Anth	7016			
Anthracite Grey	2	White	Anth	7016			
Anthracite Grey Smooth	1	White	Anth#	7016			
Silver Grey	2	White	Silv	7001			
Slate Grey	1	White	Site	7015			
Irish Oak	2	Caramel	IOak	1011			
Chartwell Green	1	White	CGrn	-			

Ex-Stock

4 weeks

Lead times refer to deliveries to the Fabricator

MOQ

1 Pack (made to order by agreement)

Colours

The following colours are available as Ex-stock.



The following colours are available to agreed lead times, typically 4 weeks.



FlushSash

VEKA FlushSash Wallchart



112380
End Groove Seal
(Black/White)

712043
Flush Sash Seal

104395
Sims Signifline
Mullion

104495
Sims Signifline
Mullion

109130
Sims Signifline
Mullion Cover

109131
Sims Signifline
Mullion End Cap

104395
French Mullion
Adapter

109040
French Mullion End Cap
(White/Brown/Caramel)
(109030/109103)

702533 (P10533)
28mm T-Track
Steel Box 713147
Steel Box 713155

703810 (P10527)
Panel 18 Section
713228 (B02206)
Prepped Stone L 713227 (B02227)

707429 (P10429)
24mm Glazing Bead

707431 (P10431)
24mm Glazing Bead

707427 (P10427)
28mm Glazing Bead

707432 (P10432)
28mm Glazing Bead

707426 (P10426)
35mm Glazing Bead

707437 (P10437)
30mm Glazing Bead

709213 (M00213)
Clip In Packer (White)

709824
Georgian Bar
(P10103)

744163
(H00163)
Weather Bar Screw
(Nipper Screw)

109030
109103 Bar
(109140 End Cap)
(White/Brown/Caramel)

109029
Run-Up Block

140177.2
Pull In Wedge
(Sash Part)

140177.1
Pull In Wedge
(Frame Part)

141458
Corner Chassis

KEY:

DO NOT SCALE the drawings shown are visual representations only. VEKA PLC has the right to alter the designs, specifications & descriptions without prior notice. It is the responsibility of the customer to check the drawings of accessories, dimensions and improvements.

The VEKA Flush Sash profile and associated parts are designed to function with the Matrix Fully Sculptured profile suite. For out-of-frame manufacturing details please refer to the relevant manual.

Halo FlushSash Wallchart



112380
Bezel (Black/White)

712043
Flush Sash Bead

712046
(602046)
Flipper Bead

104395
French Mullion Adapter

104495
Slim Sighline Mullion

109130
Slim Sighline Mullion Cover

109131
Slim Sighline Mullion End Cap

703810 (P10527)
Panel 18 Bead (Prep) (Black) (802206)
Panel 18 Bead (Prep) (Black) (802207)

702533 (P10533)
20mm T-Trim Bead (Steel Box) (713147)
20mm T-Trim Bead (Steel Box) (713155)

109040
French Mullion End Cap (White/Brown/Caramel)

707429 (P10429)
24mm Glazing Bead

707431 (P10431)
24mm Glazing Bead

707427 (P10427)
25mm Glazing Bead

707432 (P10432)
28mm Glazing Bead

707426 (P10426)
35mm Glazing Bead

707437 (P10437)
36mm Glazing Bead

709213 (M00213)
Clip In Packer (White)

709824
Georgian Bar (P10103)

744163
(H00163)
Weather Bar Screw (Nipper Screw)

709109
Flush Sash Hinge Packer

109030
109030 Bar (White/Brown/Caramel)
109140 End Cap

108029
Push Up Bead

140177.1
Pull In Wedge (Frame Part)

140177.2
Pull In Wedge (Sash Part)

141458
Corner Chests

KEY:

DO NOT SCALE Use drawings shown for visual representations only. V&A PLC has the right to alter the designs, specifications & descriptions without prior notice. It is the responsibility of the customer to verify all specifications of materials, dimensions and improvements.

The HALO Flush Sash profile and associated parts are designed to function with the HALO System 10 and HALO Rustique profile suites. The materials shown on this page are used in conjunction with either system.

VEKA plc

Farrington Road
Rossendale Road Ind. Est.
Burnley, Lancashire
BB11 5DA

Tel: 01282 716611
Fax: 01282 725257
salesenquiry@veka.com
www.vekauk.com

FlushSash

Images are for illustration purpose only. We reserve the right to change product specification at any time.
Due to the limitations of the printing process we recommend that an accurate colour swatch is requested prior to ordering.
The company cannot accept any responsibility for colours or images shown in this brochure.
All information within this brochure is correct at time of going to print.



FOR NOW
FOR THE FUTURE
FOR LIFE